

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(US-20020104997-\$ or US-20040021142-\$).did. or (US-5045897-\$ or US-5153889-\$ or US-5204284-\$ or US-5282218-\$ or US-5317586-\$ or US-5428634-\$ or US-5608695-\$ or US-5675597-\$ or US-5696389-\$ or US-5786603-\$ or US-5801402-\$ or US-5812582-\$ or US-5835514-\$ or US-5869849-\$ or US-5930276-\$ or US-6046464-\$ or US-6057562-\$ or US-6061371-\$ or US-6069905-\$ or US-6121638-\$ or US-6265732-\$ or US-6366350-\$ or US-6368890-\$ or US-6483864-\$ or US-6526078-\$ or US-6527460-\$).did. or (US-6567435-\$).did.	US-PGPUB; USPAT	OR	ON	2004/11/24 09:30
L2	5303	257/431-437.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/24 07:30
L3	2572	257/72	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:31
L4	1223	257/88	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:31
L5	401	257/257	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:31
L6	273	257/258	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:31
L7	4298	L3 L4 L5 L6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:31
L8	9324	2 7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:32
L9	1563	8 and len	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:43
L10	133	9 and (light near emitting) and (light near receiving)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:43
L11	43	10 and fiber and laser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:43

L12	0	1 and 11	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:34
L13	72	1 11	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:34
L14	30542	372/28-100.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:42
L15	495	14 and (light near emitting) and (light near receiving)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:24
L16	476	15 and laser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 07:43
L17	225	15 and fiber and laser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L18	154	17 and len	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L19	141	18 and reflect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:26
L20	27	18 and reflectance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:12
L21	7045	372/43	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:12
L22	3965	372/50	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:12
L23	10029	21 22	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:12
L24	2561	23 and fiber and laser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:13
L25	220	24 and housing	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L26	188	25 and mount\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:14
L27	71	26 and hole	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:15

L28	69	27 not 1 not 11 not 20	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:15
L29	15177	(light near emitting near (chip element device)) and (light near receiving near (chip element device))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L30	1158	29 and fiber and laser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L31	713	30 and len	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:25
L32	207	31 and housing	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:26
L33	163	32 and reflect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:27
L34	166	1 11 20 27	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:27
L35	159	33 not 34	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:27
L36	38	35 and (surface near emitting)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/24 08:28
L37	0	"5812582".pn. and luminescence	US-PGPUB; USPAT	OR	ON	2004/11/24 10:03
L38	1	29 and (luminescence with intensity with peak with angle)	US-PGPUB; USPAT	OR	ON	2004/11/24 10:03
L39	1	29 and (luminescence with intensity with peak with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/24 10:04
L40	6	29 and (luminescence with intensity with peak)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/11/24 10:04